



Test Report/ Certificate of Analysis

Date of Report: Nov 20, 2025
To: Protixa
From: AxisPharm, LLC
Certificate ID Number: 20Nov2025-04

Results reported by: Lab Technician Ning Yang

Review/Approved by: [Signature] QA Director Dawei Yue

Sample Received: Date: 11/17/2025
Receiving Condition: [X] Acceptable [] Other:
Storage Condition: [] Room temperature [] -20°C [] -80°C
[X] Other: 0 °C

Sample Name: Semax Selank 15mg 15mg in 15ml; Label mg Claim: 15mg/15mg; Brand Name: Protixa; Lot#: SXS1515N1125; MFD: 11/2025; BBD: 11/2026
Method(s): LCMS

Procedure(s): Laboratory Activity Date: 10/19/2025

Results:

Table with 5 columns: Sample Name, Net Weight Measured, MW (g/mol), Detected, UV Purity (208nm) (%). Row 1: Semax Selank 15mg 15mg in 15ml, 13.9 /13.7, 813.93/751.9, 815.4 [M+H]/753.5 [M+H], >99

Salts and sugars that serves as fillers in injectables are not considered as impurities.
Conclusion: The product comes with Semax / Selank 13.9mg / 13.7 with purity >99.0%.